

MARMON

Foodservice Technologies



Loop Pro

6V Overcounter Electric Dispenser







Loop Pro

6V Overcounter Electric Dispenser

mproving

Delivering

Employing

Addressing

Increased cooling

Energy performance

New gen compressor and optimized airflow system design

Flexibility

Available with all UFB & other valve types.

Space optimization

Smallest footprint dispenser in its category

Scalable design

To be upgraded with digital merchandized and multiflavor valve (not currently available)

Enhanced quality & reliability

New and advanced engineering design to improve the trusted Loop legacy series

Serviceability

Service-friendly design with removable refrigeration deck and easy access to key components

Large LED merchandizer

Maximum branding effect with lit exchangeable labels

Premium design

Aesthetic design makes it the most eye-catching overcounter dispenser in market

























Loop Pro

6V Overcounter Electric Dispenser

Main supply 230	DV/ 50 HZ
Max. power 90	0 W/ 4.5 A
Refrigerant type	R290 (0.115kg)
Dispense capacity	80 drinks continuously, 2 drinks (0.3 lt) per minute
Hydraulics	Still water boost, low-pressure switch
Temperature condition	max. 32°C
Ice bank size	10 Kg
Water bath volume	28 lt
Carbonation	Internal carbonator (cold)
Postmix valves	6 x Cornelius UFB valves. Available with other valves upon request.
Still water valves	0-3 valves (preset)
Unit Dimensions	413 W x 610 D x 640 H (mm)
Shipping weight	65 Kg
Brand merchandizer and product labels	Exchangeable. Brand labels to be ordered separately
Refrigeration deck	Removable
Additional features	On-off key switch, small plastic window to access the controller switch pins
Agency	CE

	Description
ТВА	All valve variants available upon request































